


The Private Cost of Public Queues for Medically Necessary Care, 2014 Edition



by Nadeem Esmail

SUMMARY

- The measurement of waiting times—the examination of the absolute delay Canadians must endure in order to receive medically necessary care—is one way of examining the burden of waiting for health care. We can also calculate the privately borne cost of waiting: the value of the time that is lost while waiting for treatment.
- The estimated cost of waiting for care in Canada for patients who were in the queue in 2013 was \$1.1 billion—an average of about \$1,202 for each of the estimated 928,120 Canadians waiting for treatment in 2013.
- This is a conservative estimate; it assumes that only those hours during the average work week should be counted as lost and places no intrinsic value on the time individuals spend

waiting in a reduced capacity outside of the work week. Valuing all hours of the week, including evenings and weekends but excluding eight hours of sleep per night, would increase the estimated cost of waiting to slightly more than \$3.4 billion, or about \$3,681 per person.

- This estimate only counts costs that are borne by the individual waiting for treatment. The costs of care provided by family members (the time spent caring for the individual waiting for treatment) and their lost productivity due to difficulty or mental anguish are not valued in this estimate. Moreover, non-monetary medical costs, such as increased risk of mortality or adverse events that result directly from long delays for treatment, are not included in this estimate.

Introduction

In October 2013, the Fraser Institute released its 23rd annual measurement of waiting times for medically necessary treatments in Canada (Barua and Esmail, 2013). This most recent measurement shows that the national median waiting time from specialist appointment to treatment increased from 9.3 weeks in 2012 to 9.6 weeks in 2013.

But the measurement of waiting times, or the examination of the absolute delay Canadians must endure in order to receive medically necessary care, is only one way of looking at the burden of waiting for health care. We can also calculate the privately borne cost of waiting: the value of the time that is lost while waiting for treatment.¹

The privately borne cost of waiting for care

One way of estimating the privately borne cost of waiting for care in Canada was originally developed by Steven Globerman and Lorna Hoye (1990).² They calculated the cost of waiting by estimating the amount of time that could not

be used productively by a patient while waiting for treatment.

Globerman and Hoye's methodology is relatively straightforward. First, multiply the number of patients waiting for treatment by the wait times for those treatments in order to derive an estimate of the total number of weeks all patients will spend waiting for care. Then multiply this value by a measure of the proportion of time spent waiting for treatment that is rendered unproductive owing to the physical and emotional impact of an untreated medical condition. The monetary value of this lost productive time can then be projected.

In 2013, an estimated 928,120 Canadians were waiting for care after an appointment with a specialist (table 1). These Canadians waited, on average, 9.6 weeks for treatment, though those wait times varied significantly when broken down by province and medical specialty (table 2). Multiplying the number of Canadians waiting in each of the 12 medical specialties in each of the 10 provinces by the weighted median wait time for that medical specialty in that province gives a rough estimate of the total amount of time that Canadians waited for treatment in 2013: about 11.8 million weeks. This estimate is larger than the 10.6 million weeks estimated for 2012 due to an increase in both wait times and in the number of Canadians waiting for care (Barua and Esmail, 2013; Esmail, 2013).

Globerman and Hoye's original estimate for the cost of waiting, which came from responses to a survey of physicians, used specialty-specific measures of the proportion of patients who were "experiencing significant difficulty in carrying on their work or daily duties as a result of their medical conditions" (1990: 26). The proportions they estimated ranged from 14% of patients in gynaecology to 88% in cardiovascular

1 The calculation here measures only the cost of the wait time from specialist to treatment, and does not include the cost of the wait time from referral by a general practitioner to seeing a specialist, or other delays in the care pathway. Thus, this estimate of the privately borne cost of waiting is an underestimate of the true privately borne cost of waiting.

2 Globerman and Hoye employed this methodology in 1990 to develop an estimate of the cost of waiting for medically necessary treatment in the first measurement of waiting times in Canada published by the Fraser Institute. Follow-up examinations of the privately borne cost of queuing since 2004 published by the Fraser Institute also employ this methodology.

Table 1: Estimated number of procedures for which patients are waiting after appointment with specialist, by specialty, 2013

	BC	AB	SK	MB	ON	QC	NB	NS	PE	NL
Plastic Surgery	3,561	3,840	1,804	84	3,412	1,955	775	556	—	130
Gynaecology	3,418	3,477	1,205	926	9,426	5,508	822	685	—	977
Ophthalmology	17,086	11,315	3,476	12,257	28,460	30,184	1,280	8,223	902	895
Otolaryngology	5,342	2,660	—	815	10,949	5,465	726	1,091	129	304
General Surgery	12,256	8,733	7,835	8,324	25,978	29,867	1,489	3,242	461	2,565
Neurosurgery	1,106	1,013	394	—	2,881	1,112	—	68	—	48
Orthopaedic Surgery	18,092	9,982	7,991	5,128	43,676	21,979	4,577	7,639	711	2,366
Cardiovascular Surgery	446	29	47	—	431	239	34	60	—	—
Urology	6,819	2,525	1,080	1,202	15,776	17,145	1,545	946	400	1,655
Internal Medicine	10,141	6,823	2,576	3,099	13,890	44,503	538	1,540	348	—
Radiation Oncology	34	55	10	8	140	156	8	46	—	3
Medical Oncology	124	176	—	—	606	353	35	80	4	28
Residual	52,214	39,757	19,942	25,422	113,992	89,714	8,725	17,943	1,998	9,072
Total	130,638	90,386	46,357	57,265	269,617	248,182	20,556	42,122	4,953	18,044
Proportion of Population	2.83%	2.33%	4.29%	4.52%	2.00%	3.08%	2.72%	4.44%	3.39%	3.52%
Canada:	Total number of procedures for which patients are waiting in 2013								928,120	
	Percentage of population								2.66%	

Note: Totals may not match sums of numbers for individual procedures due to rounding.

All data regarding oncology refer only to procedures done in hospitals. Most cancer patients are treated in cancer agencies. Therefore, the oncology data must be regarded as incomplete.

Source: Barua and Esmail, 2013.

surgery, and averaged 41% overall (Globerman with Hoye, 1990; Esmail, 2009a). The estimates of lost productivity measured by Globerman and Hoye cannot necessarily be applied today because of advances in medicine and the medical system's ability to deal with pain and discomfort with pharmaceuticals. These advances may allow many Canadians who are suffering significant difficulties to function at a higher level today than they would have in 1990, or even to maintain their normal activity levels.

For this reason, this author's estimation of the cost of waiting in 2013 uses a Statistics Canada finding that 11.0% of people were adversely affected by their wait for non-emergency surgery in 2005 (Statistics Canada, 2006). This percentage is below even the lowest specialty-specific measure estimated by Globerman and Hoye (1990).³

³ Statistics Canada's findings are based on the percentage of survey respondents who reported

Table 2: Median patient wait for treatment after appointment with specialist, by specialty, 2013 (in weeks)

	BC	AB	SK	MB	ON	QC	NB	NS	PE	NL	CAN
Plastic Surgery	22.3	27.6	85.7	3.0	7.8	8.3	21.2	22.0	—	10.3	14.7
Gynaecology	8.0	8.2	8.7	7.5	7.7	7.7	9.7	5.7	—	9.3	7.9
Ophthalmology	13.0	13.3	11.2	44.6	8.4	7.7	8.1	23.8	34.0	6.9	10.7
Otolaryngology	18.4	10.4	—	8.3	9.9	8.5	7.3	12.5	9.9	6.0	10.4
General Surgery	6.6	7.8	15.0	15.3	4.8	7.7	7.6	6.7	7.0	7.1	7.0
Neurosurgery	8.3	10.0	12.1	—	7.7	5.1	—	3.1	—	2.9	7.4
Orthopaedic Surgery	22.5	16.3	36.1	23.1	18.9	18.6	28.5	44.3	22.6	31.5	21.1
Cardiovascular Surgery (Urgent)	2.0	0.5	1.0	—	0.9	0.5	0.9	4.3	—	—	1.0
Cardiovascular Surgery (Elective)	6.0	6.0	4.1	—	3.3	7.9	6.1	26.5	—	—	5.8
Urology	6.9	5.2	4.6	9.2	4.4	11.1	12.5	4.2	16.8	10.1	6.6
Internal Medicine	8.5	10.2	8.3	8.6	4.6	21.3	8.7	6.1	11.0	—	10.5
Radiation Oncology	2.2	3.2	2.1	1.8	1.3	2.6	0.5	5.2	—	2.0	2.0
Medical Oncology	2.3	3.3	—	—	1.8	2.0	2.0	5.1	3.0	1.7	2.1
Weighted Median	10.4	10.5	14.1	17.8	7.1	10.4	11.7	13.7	15.3	9.6	9.6

Source: Barua and Esmail, 2013.

that “waiting for non-emergency surgery affected their life.” Globerman and Hoye’s estimate measures the number of patients who “experienced significant difficulty carrying on their work or daily duties as a result of their medical conditions.” Notably, in a 2003 survey of Canadians, only 13% of those who reported being affected by their wait in the Statistics Canada study reported a loss of income, while 14% experienced loss of work. At the same time, 60% experienced worry, anxiety, and stress, 51% experienced pain, and 31% experienced problems with activities of daily living (Sanmartin et al., 2004). In a more recent Statistics Canada survey, 49% of those who were affected by their wait for care experienced worry, anxiety, and stress, 51% experienced pain, and 36% experienced problems with activities of daily living (Statistics Canada, 2006).

The methodology employed here for the estimate of the private cost of waiting attempts to measure much more than just lost work or lost income. Rather, it estimates lost productivity in total, including lost on-the-job productivity, lost enjoyment of life, inability to play sports, etc. In other words, the private cost of waiting for care estimated here values the amount of time Canadians spend waiting for care during which these individuals are unable to participate fully in their lives. Also, this estimate does not necessarily assume that 11.0% of individuals are losing all of their productivity while 89.0% are completely unaffected. Rather, the estimates are constructed in such a way that the lost productivity can be 100% for 11.0% of patients, or 11.0% for 100% of patients, or any combination thereof.

Table 3: Average of average hourly and weekly wages, by province, January to December, 2013

	BC	AB	SK	MB	ON	QC	NB	NS	PE	NL	CAN
Nominal average hourly wage	\$24.19	\$27.72	\$24.72	\$21.78	\$24.59	\$22.53	\$20.73	\$21.30	\$20.00	\$23.85	\$24.15
Nominal average weekly wage	\$881.94	\$1,061.56	\$923.66	\$793.87	\$900.94	\$796.33	\$780.21	\$784.17	\$735.02	\$922.99	\$884.81

Note: Wages reported are earned wages or salaries including tips, commissions, and bonuses before taxes and other deductions for all occupations, both sexes, ages 15 and over.

Source: Statistics Canada, n.d.; calculations by author.

An assumption that 11.0% of people waiting for treatment in 2013 experienced significant difficulties in their daily lives as a result of their untreated medical condition, and thus lost productivity while waiting for treatment, results in an estimate that roughly 1.29 million weeks were “lost” while patients waited for treatment. However, because this estimate is based on the assumption that all individuals face the same wait time for treatment in each specialty/province combination, it is mathematically equivalent to assuming that 11.0% of the productivity of all Canadians waiting for care was lost to a combination of mental anguish and the pain and suffering that can accompany any wait for treatment. Multiplying this lost time by an estimate of the average weekly wage of Canadians in 2013 (given in table 3), which provides an estimate for the value of the lost time to each individual,⁴ gives an estimate of the cost of pro-

ductive time that was lost while individuals waited for medically necessary treatments in 2013 (table 4).

The estimated cost of waiting for care in Canada for patients who were in the queue in 2013, according to calculations based on the methodology produced by Gliberman and Hoye (1990), was \$1.1 billion—an average of about \$1,202 for each of the estimated 928,120 Canadians waiting for treatment in 2013. Alternately, that cost works out to roughly \$10,930 for each individual among the 11.0% of patients in the queue

their labour/leisure trade off will be such that the last unit of leisure a senior citizen enjoys is equal in value to the last unit of work he or she undertakes. Seniors who choose not to work are clearly placing a higher value on their leisure time than the labour market will offer for their labour. For children, the value of their leisure (which can potentially be viewed as time for personal growth) or productivity at school (which can be viewed as an investment for the future) is assumed to be, for simplicity, not significantly different from that of a working adult. Furthermore, as there are likely to be few children waiting for treatment, any variation from the value of time for adults is not likely to have a marked effect on the average calculation.

4 Though extending this value of time to all individuals may seem questionable (given that some children and retired seniors will be included in the number of patients in the queue), one need only understand that the lost leisure or ability to concentrate that these individuals endure must have some value. Since seniors are enjoying increasing opportunities to engage in part-time employment,

Table 4: Estimated cost of waiting for medically necessary health services from specialist appointment to treatment, by province and specialty, 2013 (\$ thousands)

	BC	AB	SK	MB	ON	QC	NB	NS	PE	NL	CAN
Plastic Surgery	\$7,691	\$12,378	\$15,712	\$22	\$2,645	\$1,416	\$1,414	\$1,053	—	\$136	\$42,467
Gynaecology	\$2,652	\$3,326	\$1,064	\$604	\$7,217	\$3,717	\$686	\$337	—	\$926	\$20,530
Ophthalmology	\$21,611	\$17,611	\$3,949	\$47,699	\$23,696	\$20,489	\$889	\$16,872	\$2,480	\$627	\$155,924
Otolaryngology	\$9,538	\$3,221	—	\$590	\$10,789	\$4,056	\$454	\$1,174	\$103	\$186	\$30,112
General Surgery	\$7,894	\$7,945	\$11,966	\$11,091	\$12,256	\$20,065	\$965	\$1,865	\$261	\$1,847	\$76,155
Neurosurgery	\$890	\$1,181	\$483	—	\$2,199	\$499	—	\$18	—	\$14	\$5,284
Orthopaedic Surgery	\$39,526	\$18,951	\$29,345	\$10,345	\$81,810	\$35,718	\$11,193	\$29,221	\$1,301	\$7,577	\$264,988
Cardiovascular Surgery	\$87	\$2	\$5	—	\$37	\$11	\$3	\$22	—	—	\$165
Urology	\$4,589	\$1,535	\$502	\$967	\$6,924	\$16,653	\$1,658	\$341	\$543	\$1,705	\$35,417
Internal Medicine	\$8,329	\$8,096	\$2,174	\$2,336	\$6,395	\$83,219	\$400	\$807	\$309	—	\$112,065
Radiation Oncology	\$7	\$21	\$2	\$1	\$18	\$36	\$0	\$21	—	\$1	\$107
Medical Oncology	\$27	\$67	—	—	\$110	\$61	\$6	\$35	\$1	\$5	\$313
Residual*	\$52,692	\$48,814	\$28,535	\$39,562	\$79,742	\$81,730	\$8,732	\$21,204	\$2,466	\$8,866	\$372,342
Total Cost	\$155,535	\$123,147	\$93,739	\$113,216	\$233,838	\$267,671	\$26,400	\$72,971	\$7,464	\$21,890	\$1,115,870

* The “residual” count is an estimate of the number of non-emergency procedures for which people are waiting in Canada that are not included in the Fraser Institute’s survey. The wait time used for calculating the residual cost is each province’s weighted median wait time for all specialties included in *Waiting Your Turn*.

Source: Barua and Esmail, 2013; Statistics Canada, n.d.; calculations by author.

who were suffering considerable hardship while waiting for care.⁵


Of course, this number is a conservative estimate of the private cost of waiting for care in Canada. It assumes that only those hours during the average work week should be counted as lost. It places no intrinsic value on the time individuals spend waiting in a reduced capacity

5. Globerman and Hoyer estimated the cost of queuing for medically necessary care to be about \$2,900 per patient in 1989. In 2013 dollars, this works out to approximately \$4,761.

outside of the working week. Valuing all hours of the week, including evenings and weekends but excluding eight hours of sleep per night, at the average hourly wage (given in table 3) would increase the estimated cost of waiting to slightly more than \$3.4 billion or about \$3,681 per person.

This estimate only counts costs that are borne by the individual waiting for treatment. The costs of care provided by family members (in time spent caring for the individual waiting for treatment) and their lost productivity due to difficulty or mental anguish, are not valued in

Figure 1: Estimated cost of waiting per patient and median wait for treatment after appointment with specialist, 2004 – 2013



Sources: Statistics Canada. *Table 326-0021 – Consumer Price Index (CPI), 2011 basket, annual (2002=100 unless otherwise noted)*, as of February 12, 2014.

this estimate.⁶ Moreover, non-monetary medical costs, such as increased risk of mortality or adverse events that result from long delays for treatment, are not included in this estimate (Day, 2013).

Looking historically, the estimated private cost of waiting for treatment per patient in 2013 is 2% higher than the previous high of \$1,179 (inflation adjusted, 2013 dollars) estimated for 2004 (see figure 1) and is 6% higher than the estimated cost of \$1,139 in 2012.⁷ If the cost of

hours outside of the work week is included, the estimated cost for 2013 is again 2% higher than the previous high of \$3,598 estimated for 2004 and 6% higher than the \$3,478 estimated for 2012. Further, while both wait times and the estimated private cost of waiting generally moved downward between 2004 and 2009, deteriorations in both since then have resulted in an overall lack of improvement since 2004.

Conclusion

The rationing of health care in Canada through queues for medically necessary health services imposes direct costs on those waiting for care. The ability of individuals who are waiting to enjoy leisure time and earn an income to support their families is diminished by physical and psychological pain and suffering. In addition, friends and family may be asked to help those waiting for treatment, or may suffer similar re-

6 A 2003 Statistics Canada survey found that 20.2% of individuals whose wait times affected their lives reported increased dependence on family or friends (Sanmartin et al., 2004).

7 In addition to adjustment for inflation (to 2013 dollars), figures for 2004, 2005, and 2006 have been revised using the 11.0% estimate for lost time in the queue rather than the 9.8% estimate used previously.

ductions in their productive lives because of their own psychological pain.

In 2013, the estimated 928,120 Canadians who were waiting for treatment endured an estimated private cost of at least \$1.1 billion, and possibly substantially more, in lost productivity and leisure time. That cost was, on an inflation-adjusted per-patient basis, the highest measured since 2004.

References

- Barua, Bacchus, and Nadeem Esmail (2013). *Waiting Your Turn: Wait Times for Health Care in Canada* (2013 Report). Fraser Institute.
- Day, Brian (2013). The Consequences of Waiting. In Globerman, Steven (ed.), *Reducing Wait Times for Health Care: What Canada Can Learn from Theory and International Experience* (Fraser Institute): 45-75.
- Esmail, Nadeem (2013). *The Private Cost of Public Queues for Medically Necessary Care, 2013 edition*. Fraser Alert. Fraser Institute.
- Esmail, Nadeem (2011). The Private Cost of Public Queues. *Fraser Forum* (March): 22-27.
- Esmail, Nadeem (2009a). *Waiting Your Turn: Hospital Waiting Lists in Canada* (19th ed.). Fraser Institute.
- Esmail, Nadeem (2009b). The Private Cost of Public Queues, 2009. *Fraser Forum* (November): 32-36.
- Esmail, Nadeem (2007). The Private Cost of Public Queues. *Fraser Forum* (December-January): 7-11.
- Esmail, Nadeem (2006). The Private Cost of Public Queues in 2006. *Fraser Forum* (December-January): 20-24.
- Esmail, Nadeem (2005a). The Private Cost of Public Queues in 2005. *Fraser Forum* (December-January): 17-21.
- Esmail, Nadeem (2005b). The Private Cost of Public Queues. *Fraser Forum* (March): 27-31.
- Globerman, Steven, with Lorna Hoye (1990). *Waiting Your Turn: Hospital Waiting Lists in Canada*. Fraser Institute.
- Hazel, Maureen, and Nadeem Esmail (2008). The Private Cost of Public Queues. *Fraser Forum* (December-January): 25-29.
- Sanmartin, Claudia, François Gendron, Jean-Marie Berthelot, and Kellie Murphy (2004). *Access to Health Care Services in Canada, 2003*. Catalogue No. 82-575-XIE. Statistics Canada, Health Analysis and Measurement Group.
- Statistics Canada [n.d.]. *CANSIM Database*. <<http://www.statcan.gc.ca/>>, as of February 12, 2014.
- Statistics Canada (2006). *Access to Health-Care Services in Canada: January to December 2005*. Catalogue No. 82-575-XIE. Statistics Canada.

Acknowledgments

As the researcher has worked independently, the views and conclusions expressed in this paper do not necessarily reflect those of the Board of Trustees of the Fraser Institute, the staff, or supporters.

Copyright © 2014 by the Fraser Institute. All rights reserved. Without written permission, only brief passages may be quoted in critical articles and reviews.

ISSN 2291-8620

Media queries: call 604.714.4582 or
e-mail: communications@fraserinstitute.org

Support the Institute: call 1.800.665.3558, ext. 586
or e-mail: development@fraserinstitute.org

Visit our **website:** www.fraserinstitute.org



Nadeem Esmail is a Senior Fellow in Health Policy Studies at the Fraser Institute. During his tenure at the Fraser Institute, Nadeem spearheaded critical Fraser Institute research including the annual **Waiting Your Turn** survey of surgical wait times across Canada and **How Good Is Canadian Health Care?**, an international comparison of health care systems. In addition, he has authored or co-authored more than 40 comprehensive studies and more than 150 articles on a wide range of topics including the cost of public health care insurance, international comparisons of health care systems, hospital performance, medical technology, and physician shortages. A frequent commentator on radio and TV, Nadeem's articles have appeared in newspapers across North America. Esmail completed his B.A. (Honours) in Economics at the University of Calgary and received an M.A. in Economics from the University of British Columbia.